



FlowTite[®]
R-SERIES[®]

FlowTite[®]
4ALL[®]

**INSTALLS OVER OLD
BRASS FERRULE**

**DUAL STEEL RINGS
PUSH ON PEX, COPPER & PVC**

ACCOR[®] TECHNOLOGY, INC.
Plumbing Supply Solutions



OVER 40 MILLION VALVES INSTALLED SINCE 1988

ACCOR[®] TECHNOLOGY, INC.

Worldwide Patented Technology

Founded in 1988, ACCOR Technology, Inc. is the industry pioneer and market leader in push-fit plumbing valves.


ACCOR revolutionized the construction industry by introducing a simple, tool-free solution to plumbing. Born out of challenges experienced by contractors, ACCOR's PUSHON technology introduced the idea of simplifying the plumbing method for attaching supply stops—a method that the industry later dubbed as "push-fit" and has since been imitated by many other valve manufacturers.

We transformed the market at a time when plumbing methods had not changed in 50 years—and we have continued to innovate. ACCOR is the only company that provides an increased margin of safety through a patented design of two gripper rings for double pipe contact and a twist-off removal system that ensures no accidental early release.

"The technology we developed not only made life for plumbers easier but also made the connection to the pipe and fixtures much, much more reliable than compression, soldered or crimped valves—so reliable, we have been able to offer a 10-year warranty on the valve since 1988."

~Founder Jerry O'Neill





Proudly Made in the USA.

Headquartered in Kirkland, Washington, ACCOR[®] Technology proudly manufactures its products in the USA. Our manufacturing plant in East Wenatchee, Washington, utilizes a state-of-the-art manufacturing process with an automated, robotics-controlled line that senses and tests every valve for high quality. We have invested millions of dollars into unique manufacturing technology that allows us to implement the best quality controls while keeping jobs in the United States.




We Back Our Products with a 10 Year Warranty.

No company is worth its salt without standing behind its products. At ACCOR, we offer a warranty that covers not only any product defects but also the associated labor. This exclusive warranty—unmatched by any competitor—demonstrates our confidence in our product performance and quality assurance.



Quality Assurance & Customer Satisfaction

Our company's success comes from a great team proud to be part of the U.S. manufacturing sector. It begins with our superior engineering and drive to innovate. But it is our dedicated culture of quality assurance and customer satisfaction that has propelled us to lead the market with our PUSHON[®] technology.



Robotic assembly.

ENGINEERED FOR LEAK FREE PERFORMANCE

Design Margin of Safety

The design criteria for all ACCOR® Technology's products have a high margin of safety well beyond the standards, backed with the strongest warranty in the business.

High Tech Manufacturing

State of the art injection molding and polymer material design allow ACCOR to achieve superior valve and coupling performance.

- State of The Art Injection Molding
- Computerized Welding Monitors Each Valve
- Hydraulic Crimping Machines
- Robotic Assembly
- 100% Air Tested and QC




Hydraulic crimping.

PRODUCT TESTING & QUALITY CONTROL

Quality Control to Back Our Warranty

The production teams' priority is to provide the highest level of quality control through tightly monitored processes and daily testing.

- Daily Hydrostatic Testing
- Production Air Testing with Ultrasonic Leak Detectors
- Hot Water Pull (180°F under direct load)
- Intermittent Shock Testing (125psi - 180psi, 140°F, 30,000+ cycles)



Valves are tested to 1000 PSI and beyond.



Daily hydrostatic testing. PEX pipe fails during test. ACCOR valve remains attached.



DAILY HYDROSTATIC TESTING

ACCOR Valves are Stronger than PEX Pipe

During daily hydrostatic testing valves are tested to 1000 PSI and beyond. The PEX pipe fails during test however the ACCOR valve remains attached and intact.



OVER 40 MILLION VALVES INSTALLED SINCE 1988



THE PUSHON TECHNOLOGY ADVANTAGE

Innovative Product Design

ACCOR® designed its patented PUSHON technology to overcome common problems associated with compression style valves. The unique o-ring design of FlowTite eliminates packing seal leaks, and compression problems. The internal stainless steel gripper ring mechanically attaches to the pipe without tools, and is tested to over 1000 psi. The valves and couplings are removable by twisting off counterclockwise, and are reusable.

Faster Installs with One-Piece Valve and Attached Flexible Connectors

ACCOR's patented PUSHON technology makes its FlowTite valve the easiest and fastest valve and connector system to install. The design of the valve made it logical to attach the flexible connector in the factory. This "original one-piece" valve and flexible connector eliminates leaking field joints and human error providing a trouble free system. Years of in field experience has perfected our hydraulic stainless steel crimps, and High Performance connector construction.

Corrosion Free, Lead Free and Certified Health Safe

ACCOR's innovative design eliminates internal and external corrosion while introducing a clean look for today's modern homes. ACCOR valves are certified to health standards requested by the EPA and adopted by ANSI.

Code Acceptance

ACCOR's stop valves are IAPMO and NSF listed and meet requirements of UPC, IPC and NPC of Canada and other state and local codes. Manufactured in accordance with ASME A112.18.1/CSA B125.1 and NSF/ANSI 61.



FLOWTITE® 4ALL® Product Directory

WHITE

FLOWTITE® 4ALL® 1/2" SUPPLY STOP VALVES	7
FLOWTITE® 4ALL® 1/2" SUPPLY STOP VALVES with High Performance Flexible Connectors	
Lavatory/Sink Supply Kits.....	7-8
Toilet Supply Kits.....	9
Dishwasher Supply Kits.....	9-10
Ice Maker Supply Kits.....	10
FLOWTITE® 4ALL® ARRESTERS	
Arresters with Manifold Tee.....	11
Dishwasher Arrester Supply Kit.....	11-12
FLOWTITE® HIGH PERFORMANCE FLEXIBLE CONNECTORS	
Lavatory/Sink Supply Connectors.....	13-14
Toilet Supply Connectors.....	14
Dishwasher Supply Connectors.....	15
Ice Maker and Filter Supply Connectors.....	15
FLOWTITE® 4ALL® COUPLINGS	16
with High Performance Flexible Connectors	

BRUSHED CHROME

FLOWTITE® 4ALL® 1/2" SUPPLY STOP VALVES	17
FLOWTITE® 4ALL® 1/2" SUPPLY STOP VALVES with High Performance Flexible Connectors	
Lavatory/Sink Supply Kits.....	17-18
Toilet Supply Kits.....	19
Dishwasher Supply Kits.....	19-20
FLOWTITE® 4ALL® ARRESTERS	
Arresters with Manifold Tee.....	20
FLOWTITE HIGH PERFORMANCE FLEXIBLE CONNECTORS	
Lavatory/Sink Supply Connectors.....	21
Toilet Supply Connectors.....	22
Dishwasher Supply Connectors.....	22
Ice Maker and Filter Supply Connectors.....	23
FLOWTITE® 4ALL® COUPLINGS	23-24
with High Performance Flexible Connectors	

OIL RUBBED BRONZE

FLOWTITE® 4ALL® 1/2" SUPPLY STOP VALVES	25
FLOWTITE® 4ALL® 1/2" SUPPLY STOP VALVES with High Performance Flexible Connectors	
Lavatory/Sink Supply Kits.....	25-26
Toilet Supply Kits.....	26

OUTLET BOXES

4ALL® BOX - WASHING MACHINE with High Performance Flexible Connectors	
Box Only.....	27
Valves Only - Bottom/ Top Position.....	27
Valves w/Polymer Arresters - Bottom/ Top Position.....	28
Valves w/Stainless Steel Arresters - Bottom/ Top Position.....	29
4ALL® BOX - ICE MAKER with High Performance Flexible Connectors	
Valve Only.....	30
Valve w/84" PVC Connector.....	30
Valve Only w/Polymer Arrester.....	31
Valve w/84" PVC Connector w/Polymer Arrester.....	31
Valve Only w/Stainless Steel Arrester.....	32
Valve w/84" PVC Connector w/Stainless Steel Arrester.....	32
Valve w/6" PVC Connector w/Polymer Arrester.....	33
Valve w/6" PVC Connector w/Stainless Steel Arrester.....	33

FLOWTITE® 4ALL® ROUND ICE MAKER BOXES

with Copper Pipe, High Performance Flexible Connectors	
Box Only - White Valve.....	34
Valve w/84" PVC Connector.....	34
Valve w/84" Braided Connector.....	34
with CPVC Pipe, High Performance Flexible Connectors	
Box Only - White Valve.....	35
Valve w/84" PVC Connector.....	35
Valve w/84" Braided Connector.....	35
with Pex Copper Adapter/ PEX Tubing, High Performance Flexible Connectors	
Box Only - White Valve.....	36
Valve w/84" PVC Connector.....	36
Valve w/84" Braided Connector.....	36

TEST CAPS & ACCESSORIES

FLOWTITE® 4ALL® ROUND ICE MAKER BOX ACCESSORIES	37
FLOWTITE® 4ALL® 1/2" TEST CAPS and COUPLINGS	37
FLOWTITE® 4ALL® ESCUTCHEONS, RINGS, CLIPS and GAUGES	37
4ALL® BOX ACCESSORIES	37

FLOWTITE® R-SERIES® Product Directory

WHITE

FLOWTITE® R-SERIES® 1/2" SUPPLY STOP VALVES	40
FLOWTITE® R-SERIES® 1/2" SUPPLY STOP VALVES with High Performance Flexible Connectors	
Lavatory/Sink Supply Kits.....	40
Toilet Supply Kits.....	41
Dishwasher Supply Kits.....	41
Ice Maker Supply Kits.....	41

BRUSHED CHROME

FLOWTITE® R-SERIES® 1/2" SUPPLY STOP VALVES	42
FLOWTITE® R-SERIES® 1/2" SUPPLY STOP VALVES with High Performance Flexible Connectors	
Lavatory/Sink Supply Kits.....	42
Toilet Supply Kits.....	43
Dishwasher Supply Kits.....	43
Ice Maker Supply Kits.....	43

OIL RUBBED BRONZE

FLOWTITE® R-SERIES® 1/2" SUPPLY STOP VALVES	44
FLOWTITE® R-SERIES® 1/2" SUPPLY STOP VALVES with High Performance Flexible Connectors	
Lavatory/Sink Supply Kits.....	44
Toilet Supply Kits.....	44

ACCESSORIES

FLOWTITE® R-SERIES® ESCUTCHEONS, RINGS, CLIPS and GAUGES	44
---	----

PRODUCT INFORMATION

CODE LISTINGS	45
INFORMATION	46
WARRANTY	47


FlowTite[®] 4ALL[®]

One Valve Fits All

To solve flaws common to PEX pipe, such as variations in outer diameter, ACCOR added a second steel gripper ring to their FlowTite 4ALL valve. The patented dual steel gripper ring design effectively doubles contact area with the pipe, ensuring a tight fit for an added layer of safety, while eliminating the need for an insert or other cumbersome workaround's.

For New Pipe

FlowTite 4All - One Valve Fits All




- ACCOR Technology's FlowTite 4ALL Supply Stop is designed for "clean pipe" applications using PEX, CPVC or Copper pipe.
- One supply stop valve fits all pipes. Our push-fit plumbing fittings provide a fast, reliable solution no matter the application.
- Easy to adjust valve/connector to a no-stress position.
- For floor or wall installation. Everything you need comes in one kit.
- No tools required, just push the stop valve onto pipe. Save time on labor and return service calls.
- One-piece valve/connector construction eliminates joint leaks. We install the job-specific connectors at the factory so you have reliable performance—every time.
- Multiple finishes look great with any style.
- ACCOR's no-stick, positive shutoff handle simplifies water shutoff.

WHITE VALVES

FLOWTITE[®] 4ALL[®] 1/2" Supply Stop Valves

VALVE ONLY

Product Code	Description	List Price (each)	Carton	Carton Weight
PO5-3 (XF)	FlowTite 4ALL 1/2" nom. supply stop valve x 3/8" O.D. comp. with escutcheon.	4.96	100 ea	12 lb
PO5-3 (XC)	FlowTite 4ALL 1/2" nom. supply stop valve x 3/8" O.D. comp. cap and shut off clip with escutcheon.	4.96	60 ea	7 lb
PO5-3 (XFN)	FlowTite 4ALL 1/2" nom. supply stop valve x 3/8" O.D. comp. with escutcheon. (does not come with nut or ferrule)	3.97	100 ea	10.7 lb
PO5-2 (XF)	FlowTite 4ALL 1/2" nom. supply stop valve x 1/4" O.D. comp. with escutcheon.	5.96	60 ea	7 lb



WHITE VALVES / PVC CONNECTORS

FLOWTITE[®] 4ALL[®] 1/2" Supply Stop Valves with High Performance Flexible Connectors

**** LAVATORY/SINK SUPPLY KIT - Sold in Pairs**

FlowTite 4ALL 1/2" nom. supply stop with factory attached PVC High Performance flexible connector x 1/2" reinforced polymer IPS nut with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
*PO5LP6-5 (XP)	6"	16.25	50 pair	22 lb
*PO5LP9-5 (XP)	9"	16.33	50 pair	25 lb
*PO5LP12-5 (XP)	12"	16.42	50 pair	27 lb
*PO5LP15-5 (XP)	15"	16.96	50 pair	30 lb
*PO5LP20-5 (XP)	20"	18.22	50 pair	33 lb
*PO5LP24-5 (XP)	24"	18.77	50 pair	35 lb
*PO5LP30-5 (XP)	30"	19.42	25 pair	20 lb
*PO5LP36-5 (XP)	36"	19.62	25 pair	23 lb



Metal nut available.

* Upon request 1/2" Metal IPS Nut may be substituted for an additional cost of \$0.50/Pair.

** Available with factory installed Shut Off Clip upon request for an additional cost of \$0.30/Each or \$0.60/Pair.



WHITE VALVES / PVC CONNECTORS

FLOWTITE® 4ALL® 1/2" Supply Stop Valves with High Performance Flexible Connectors

**** LAVATORY/SINK SUPPLY KIT - Sold in Pairs**

Lavatory and sink supply kits for "copper or chrome drop" faucets or "track packs." FlowTite 4ALL 1/2" nom. supply stop with factory attached PVC High Performance flexible connector x 3/8" comp. brass adapter with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5LP6-3 (XC) "the Shorty"	6"	18.06	50 pair	24 lb
PO5LP9-3 (XC)	9"	18.38	50 pair	26 lb
PO5LP12-3 (XC)	12"	18.96	50 pair	28 lb
PO5LP15-3 (XC)	15"	19.54	50 pair	30 lb
PO5LP20-3 (XC)	20"	20.85	50 pair	33 lb



Lavatory and sink supply kits for Delta® and other faucets.

FlowTite 4ALL 1/2" nom. supply stop with factory attached PVC High Performance flexible connector x 3/8" O.D. comp. threaded outlet without nut and ferrule, includes escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5LP6-3 (XCN) "the Shorty"	6"	17.20	50 pair	21 lb
PO5LP9-3 (XCN)	9"	17.50	50 pair	23 lb
PO5LP12-3 (XCN)	12"	18.06	50 pair	25 lb
PO5LP15-3 (XCN)	15"	18.61	50 pair	26 lb
PO5LP20-3 (XCN)	20"	19.86	50 pair	30 lb



** Available with factory installed Shut Off Clip upon request for an additional cost of \$0.30/Each or \$0.60/Pair.

WHITE VALVES / WHITE PVC CONNECTORS

FLOWTITE[®] 4ALL[®] 1/2" Supply Stop Valves with High Performance Flexible Connectors

**** TOILET SUPPLY KIT**

FlowTite 4ALL 1/2" nom. supply stop with factory attached PVC High Performance flexible connector x 7/8" reinforced polymer ballcock nut with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5CP9-7 (XF)	9"	8.09	50 each	12 lb
PO5CP12-7 (XF)	12"	8.14	50 each	13 lb
PO5CP15-7 (XF)	15"	8.98	50 each	15 lb
PO5CP20-7 (XF)	20"	9.11	50 each	16 lb



**** DISHWASHER SUPPLY KIT**

FlowTite 4ALL 1/2" nom. supply stop with factory attached PVC High Performance flexible connector x 3/8" comp. x 3/8" M.I.P. brass elbow with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5LP48-3 (XL)	48"	18.13	25 each	16 lb
PO5LP60-3 (XL)	60"	18.70	25 each	18 lb
PO5LP72-3 (XL)	72"	20.29	25 each	20 lb
PO5LP84-3 (XL)	84"	21.64	25 each	23 lb



FlowTite 4ALL 1/2" nom. supply stop with factory attached PVC High Performance flexible connector x 3/8" comp. nut with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5LP48-3 (XE)	48"	13.99	25 each	13 lb
PO5LP60-3 (XE)	60"	14.87	25 each	16 lb
PO5LP72-3 (XE)	72"	15.90	25 each	18 lb
PO5LP84-3 (XE)	84"	17.49	25 each	20 lb



** Available with factory installed Shut Off Clip upon request for an additional cost of \$0.30/Each or \$0.60/Pair.



WHITE VALVES / WHITE PVC CONNECTORS

FLOWTITE® 4ALL® 1/2" Supply Stop Valves with High Performance Flexible Connectors

**** DISHWASHER/FAUCET DUAL APPLICATION SUPPLY KIT**

FlowTite 4ALL 1/2" nom. supply stop with factory attached PVC High Performance flexible connector with inline 3/8" comp. tee x 1/2" reinforced polymer IPS nut with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5LP4T15-5 (XPE)	20"	17.16	50 each	28 lb



**** ICE MAKER SUPPLY KIT**

FlowTite 4ALL 1/2" nom. supply stop with factory attached PVC High Performance flexible connector x 1/4" comp. nut with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5IP48-2 (XF)	48"	11.96	25 each	10 lb
PO5IP60-2 (XF)	60"	12.62	25 each	12 lb
PO5IP72-2 (XF)	72"	13.28	25 each	13 lb
PO5IP84-2 (XF)	84"	13.93	25 each </td <td>14 lb</td>	14 lb



** Available with factory installed Shut Off Clip upon request for an additional cost of \$0.30/Each or \$0.60/Pair.

WHITE MANIFOLD TEES/ARRESTERS

FLOWTITE[®] 4ALL[®] Arresters with Manifold Tee **NEW**

ARRESTER WITH MANIFOLD TEE

FlowTite 4ALL polymer or stainless steel arvester with manifold tee push-fits onto pipe for dishwasher, ice maker and lavatory connections. FlowTite 4ALL supply stop valves push-fit onto the CPVC manifold tee for applications where arresters are required.

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
PF50MT-AP (XE)	Polymer arvester with manifold tee	13.60	25	5 lb
PF50MT-A (XE)	Stainless steel arvester with manifold tee	27.88	25	6.25 lb



**** DISHWASHER ARRESTER SUPPLY KIT W/O ELBOW**

FlowTite 4ALL 1/2" nom. supply stop with factory attached PVC High Performance flexible connector with manifold tee and polymer or stainless steel arvester x 3/8" comp. nut with escutcheon.

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
PO5LP60-3APK (XE)	Valve w/60" connector w/manifold, and polymer arvester	26.56	25	19 lb
PO5LP72-3APK (XE)	Valve w/72" connector w/manifold, and polymer arvester	28.15	25	21.5 lb
PO5LP84-3APK (XE)	Valve w/84" connector w/manifold, and polymer arvester	29.15	25	23 lb
PO5LP60-3AK (XE)	Valve w/60" connector w/manifold, and stainless steel arvester	39.14	25	20 lb
PO5LP72-3AK (XE)	Valve w/72" connector w/manifold, and stainless steel arvester	40.73	25	22.5 lb
PO5LP84-3AK (XE)	Valve w/84" connector w/manifold, and stainless steel arvester	41.73	25	24 lb



** Available with factory installed Shut Off Clip upon request for an additional cost of \$0.30/Each or \$0.60/Pair.



WHITE MANIFOLD TEES/ARRESTERS

FLOWTITE® 4ALL® Arresters with Manifold Tee NEW

**** DISHWASHER ARRESTER SUPPLY KIT WITH ELBOW**

FlowTite 4ALL 1/2" nom. supply stop with factory attached PVC High Performance flexible connector with manifold tee and polymer or stainless steel arvester x 3/8" comp. x 3/8" M.I.P. brass elbow with escutcheon.

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
PO5LP60-3APK (XL)	Valve w/60" connector w/ manifold, elbow and polymer arvester	32.20	25	20 lb
PO5LP72-3APK (XL)	Valve w/72" connector w/ manifold, elbow and polymer arvester	33.79	25	22 lb
PO5LP84-3APK (XL)	Valve w/84" connector w/ manifold, elbow and polymer arvester	34.79	25	24 lb
PO5LP60-3AK (XL)	Valve w/60" connector w/ manifold, elbow and stainless steel arvester	46.58	25	21 lb
PO5LP72-3AK (XL)	Valve w/72" connector w/ manifold, elbow and stainless steel arvester	48.17	25	24 lb
PO5LP84-3AK (XL)	Valve w/84" connector w/ manifold, elbow and stainless steel arvester	49.17	25	25 lb



** Available with factory installed Shut Off Clip upon request for an additional cost of \$0.30/Each or \$0.60/Pair.

WHITE PVC CONNECTORS

FLOWTITE[®] High Performance Flexible Connectors

LAVATORY/SINK SUPPLY CONNECTORS

FlowTite PVC High Performance flexible connector x 3/8" comp. nut x 1/2" reinforced polymer IPS nut for lavatory and sink connections.




Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLP12-5 (PF)	12"	3.48	50 each	11 lb
RLP15-5 (PF)	15"	3.81	50 each	13 lb
RLP20-5 (PF)	20"	4.09	50 each	15 lb
RLP24-5 (PF)	24"	4.36	50 each	16 lb
RLP30-5 (PF)	30"	4.78	25 each	19 lb
RLP36-5 (PF)	36"	5.24	25 each	12 lb

FlowTite PVC High Performance flexible connector x 1/2" reinforced polymer IPS nut x 1/2" reinforced polymer IPS nut for lavatory and sink connections.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
R5LP12-5 (PF)	12"	3.73	50 each	12 lb
R5LP15-5 (PF)	15"	3.93	50 each	14 lb
R5LP20-5 (PF)	20"	4.24	50 each	16 lb
R5LP24-5 (PF)	24"	4.52	50 each	17 lb
R5LP30-5 (PF)	30"	5.01	25 each	20 lb
R5LP36-5 (PF)	36"	5.49	25 each	12 lb

FlowTite PVC High Performance flexible connector x 3/8" comp. nut x 3/8" comp. nut for lavatory and sink connections.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLP12-3 (F)	12"	3.83	50 each	11 lb
RLP15-3 (F)	15"	4.01	50 each	13 lb
RLP20-3 (F)	20"	4.29	50 each	15 lb
RLP24-3 (F)	24"	4.56	50 each	16 lb
RLP30-3 (F)	30"	5.01	50 each	19 lb
RLP36-3 (F)	36"	5.45	25 each	11 lb




WHITE PVC CONNECTORS

FLOWTITE® High Performance Flexible Connectors

LAVATORY/SINK SUPPLY CONNECTORS

FlowTite PVC High Performance flexible connector x 3/8" comp. nut x 3/8" comp. brass adapter for lavatory and sink connections.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLP9-3 (CF)	9"	5.59	50 each	10 lb
RLP12-3 (CF)	12"	5.81	50 each	12 lb
RLP15-3 (CF)	15"	6.08	50 each	14 lb
RLP20-3 (CF)	20"	6.36	50 each	16 lb
RLP24-3 (CF)	24"	6.54	50 each	17 lb
RLP30-3 (CF)	30"	6.92	50 each	20 lb
RLP36-3 (CF)	36"	7.35	25 each	23 lb



TOILET SUPPLY CONNECTORS

FlowTite PVC High Performance flexible connector x 3/8" comp. nut x 7/8" reinforced polymer ballcock nut for toilet connections.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RCP9-7 (F)	9"	3.52	50 each	10 lb
RCP12-7 (F)	12"	3.68	50 each	11 lb
RCP15-7 (F)	15"	3.85	50 each	13 lb
RCP20-7 (F)	20"	4.13	50 each	15 lb




WHITE PVC CONNECTORS

FLOWTITE[®] High Performance Flexible Connectors

DISHWASHER SUPPLY CONNECTORS

FlowTite PVC High Performance flexible connector x 3/8" comp. nut x 3/8" comp. nut for dishwasher connections.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLP48-3 (E)	48"	6.14	25 each	13 lb
RLP60-3 (E)	60"	6.80	25 each	16 lb
RLP72-3 (E)	72"	7.58	25 each	18 lb
RLP84-3 (E)	84"	8.28	25 each	20 lb
RLP120-3 (E)	120"	10.32	25 each	26 lb



FlowTite PVC High Performance flexible connector x 3/8" comp. nut x 3/8" comp. x 3/8" M.I.P. brass elbow for dishwasher connections.


Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLP48-3 (EL)	48"	8.76	25 each	15 lb
RLP60-3 (EL)	60"	9.48	25 each	18 lb
RLP72-3 (EL)	72"	10.22	25 each	20 lb
RLP84-3 (EL)	84"	10.84	25 each	22 lb
RLP120-3 (EL)	120"	12.91	25 each	28 lb



ICE MAKER AND FILTER SUPPLY

FlowTite PVC High Performance flexible connector x 1/4" comp. nut x 1/4" comp. nut for ice maker and filter connections.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
R2IP48-2 (F)	48"	7.04	25 each	9 lb
R2IP60-2 (F)	60"	7.67	25 each	10 lb
R2IP72-2 (F)	72"	8.20	25 each	11 lb
R2IP84-2 (F)	84"	8.70	25 each	12 lb



WHITE COUPLINGS / WHITE PVC CONNECTORS

FLOWTITE® 4ALL® One-Piece 1/2" Couplings with High Performance Flexible Connectors

COUPLINGS

FlowTite 4ALL 1/2" nom. push-fit coupling with factory attached PVC High Performance flexible connector x FlowTite 1/2" nom. push-fit coupling.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PR50P15PR (XF)	15"	11.91	50 each	13 lb
PR50P20PR (XF)	20"	12.23	50 each	15 lb
PR50P36PR (XF)	36"	13.63	25 each	11 lb

FlowTite 4ALL 1/2" nom. push-fit coupling with factory attached PVC High Performance flexible connector x 1/2" reinforced polymer IPS nut.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PR50LP15-5 (XPE)	15"	11.13	50 each	13 lb
PR50LP20-5 (XPE)	20"	11.57	50 each </td <td>14 lb</td>	14 lb
PR50LP36-5 (XPE)	36"	12.89	25 each	11 lb

****COUPLINGS WITH STOP VALVE**

FlowTite 4ALL 1/2" nom. supply stop with factory attached PVC High Performance flexible connector x FlowTite 1/2" nom. push-fit coupling with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5P15PR (XF)	15"	12.23	50 each	12 lb
PO5P20PR (XF)	20"	12.64	50 each	14 lb
PO5P36PR (XF)	36"	14.98	25 each	14 lb

ONE-PIECE PIPE REPAIR OR TEST KITS

FlowTite 4ALL 1/2" nom. push-fit coupling with factory attached PVC High Performance flexible connector x 1/2" reinforced polymer IPS nut and threaded FlowTite 1/2" nom. push-fit coupling. Removeable and reusable. FOR TEMPORARY USE ONLY.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PR50P205TRK (XF)	20"	11.13	10 each	4 lb
PR50P305TRK (XF)	30"	13.00	10 each	6 lb

** Available with factory installed Shut Off Clip upon request for an additional cost of \$0.30/Each or \$0.60/Pair.




BRUSHED CHROME VALVES

FLOWTITE[®] 4ALL[®] 1/2" Supply Stop Valves

VALVE ONLY

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
PO5S-3 (XF)	FlowTite 4ALL 1/2" nom. stop valve x 3/8" O.D. comp. with escutcheon	6.15	100 ea	12 lb
PO5S-3 (XC)	FlowTite 4ALL 1/2" nom. stop valve x 3/8" O.D. comp. cap and shut off clip with escutcheon	6.15	60 ea	7 lb
PO5S-3 (XFN)	FlowTite 4ALL 1/2" nom. stop valve x 3/8" O.D. comp. with escutcheon. (does not come with nut or ferrule)	4.82	100 ea	10.7 lb
PO5S-2 (XF)	FlowTite 4ALL 1/2" nom. stop valve x 1/4" O.D. comp. with escutcheon	6.48	60 ea	7lb



BRUSHED CHROME VALVES / BRAIDED CONNECTORS

FLOWTITE[®] 4ALL[®] 1/2" Supply Stop Valves with High Performance Flexible Connectors

****LAVATORY/SINK SUPPLY KIT - Sold in Pairs**

FlowTite 4ALL 1/2" nom. supply stop with factory attached braided High Performance flexible connector x 1/2" reinforced polymer IPS nut with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
* PO5LS6-5 (XP)	6"	21.07	50 pair	21 lb
* PO5LS9-5 (XP)	9"	21.56	50 pair	23 lb
* PO5LS12-5 (XP)	12"	22.02	50 pair	25 lb
* PO5LS15-5 (XP)	15"	22.66	50 pair	27 lb
* PO5LS20-5 (XP)	20"	22.98	50 pair	31 lb
* PO5LS24-5 (XP)	24"	24.06	50 pair	34 lb
* PO5LS30-5 (XP)	30"	26.48	25 pair	20 lb
* PO5LS36-5 (XP)	36"	29.23	25 pair	22 lb



Metal nut available.

* Upon request 1/2" Metal IPS Nut may be substituted for an additional cost of \$0.50/Pair.

** Available with factory installed Shut Off Clip upon request for an additional cost of \$0.30/Each or \$0.60/Pair.



BRUSHED CHROME VALVES / BRAIDED CONNECTORS

FLOWTITE® 4ALL® 1/2" Supply Stop Valves with High Performance Flexible Connectors

****LAVATORY/SINK SUPPLY KIT - Sold in Pairs**

Lavatory and sink supply kits for "copper/chrome drop faucets" or "track packs." FlowTite 4ALL 1/2" nom. supply stop with factory attached braided High Performance flexible connector x 3/8" comp. brass adapter with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5LS6-3 (XC) "the Shorty"	6"	21.75	50 pair	22 lb
PO5LS9-3 (XC)	9"	23.85	50 pair	24 lb
PO5LS12-3 (XC)	12"	24.84	50 pair	26 lb
PO5LS15-3 (XC)	15"	25.52	50 pair	28 lb
PO5LS20-3 (XC)	20"	25.85	50 pair	31 lb



Lavatory & sink supply kits for Delta® and other faucets w/factory attached connectors. FlowTite 4ALL 1/2" nom. supply stop with factory attached braided High Performance flexible connector x 3/8" O.D. comp. threaded outlet without nut and ferrule, includes escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5LS6-3 (XCN) "the Shorty"	6"	20.71	50 pair	21 lb
PO5LS9-3 (XCN)	9"	22.71	50 pair	23 lb
PO5LS12-3 (XCN)	12"	23.66	50 pair	25 lb
PO5LS15-3 (XCN)	15"	24.30	50 pair	26 lb
PO5LS20-3 (XCN)	20"	24.62	50 pair	30 lb



** Available with factory installed Shut Off Clip upon request for an additional cost of \$0.30/Each or \$0.60/Pair.

BRUSHED CHROME VALVES / BRAIDED CONNECTORS

FLOWTITE[®] 4ALL[®] 1/2" Supply Stop Valves with High Performance Flexible Connectors

****TOILET SUPPLY KIT**

FlowTite 4ALL 1/2" nom. supply stop with factory attached braided High Performance flexible connector x 7/8" reinforced polymer ballcock nut with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5CS9-7 (XF)	9"	10.73	50 each	11 lb
PO5CS12-7 (XF)	12"	10.84	50 each	12 lb
PO5CS15-7 (XF)	15"	11.33	50 each	13 lb
PO5CS20-7 (XF)	20"	11.95	50 each	14 lb



****DISHWASHER SUPPLY KIT**

FlowTite 4ALL 1/2" nom. supply stop with factory attached braided High Performance flexible connector x 3/8" comp. x 3/8" M.I.P. brass elbow with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5LS48-3 (XL)	48"	26.75	25 each	15 lb
PO5LS60-3 (XL)	60"	28.10	25 each	17 lb
PO5LS72-3 (XL)	72"	31.49	25 each	19 lb
PO5LS84-3 (XL)	84"	33.98	25 each	21 lb



** Available with factory installed Shut Off Clip upon request for an additional cost of \$0.30/Each or \$0.60/Pair.



BRUSHED CHROME VALVES / BRAIDED CONNECTORS

FLOWTITE® 4ALL® 1/2" Supply Stop Valves with High Performance Flexible Connectors

****DISHWASHER SUPPLY KIT**

FlowTite 4ALL 1/2" nom. supply stop with factory attached braided High Performance flexible connector x 3/8" comp. nut with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5LS48-3 (XE)	48"	21.07	25 each	14 lb
PO5LS60-3 (XE)	60"	23.49	25 each	15 lb
PO5LS72-3 (XE)	72"	26.74	25 each	17 lb
PO5LS84-3 (XE)	84"	30.84	25 each	19 lb



****DISHWASHER/FAUCET DUAL APPLICATION SUPPLY KIT**

FlowTite 4ALL 1/2" nom. supply stop with factory attached braided High Performance flexible connector with inline 3/8" comp. tee x 1/2" reinforced polymer IPS nut with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5LS4T15-5 (XPE)	20"	20.44	50 each	26 lb



** Available with factory installed Shut Off Clip upon request for an additional cost of \$0.30/Each or \$0.60/Pair.

BRUSHED CHROME / BRAIDED CONNECTORS

FLOWTITE[®] High Performance Flexible Connectors

LAVATORY/SINK SUPPLY CONNECTORS


FlowTite braided High Performance flexible connector x 3/8" comp. nut x 1/2" reinforced polymer IPS nut for lavatory and sink connections.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLS12-5 (PF)	12"	4.46	50 each	10 lb
RLS15-5 (PF)	15"	5.28	50 each	12 lb
RLS20-5 (PF)	20"	5.47	50 each	13 lb
RLS24-5 (PF)	24"	6.02	50 each	15 lb
RLS30-5 (PF)	30"	6.76	50 each	18 lb
RLS36-5 (PF)	36"	7.70	25 each	10 lb



FlowTite braided High Performance flexible connector x 3/8" comp. nut x 3/8" comp. nut for lavatory and sink connections.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLS12-3 (F)	12"	4.67	50 each	10 lb
RLS15-3 (F)	15"	5.05	50 each	12 lb
RLS20-3 (F)	20"	5.68	50 each	13 lb
RLS24-3 (F)	24"	6.22	50 each	15 lb
RLS30-3 (F)	30"	7.08	50 each	18 lb
RLS36-3 (F)	36"	7.93	25 each	10 lb



FlowTite braided High Performance flexible connector x 3/8" comp. nut x 3/8" comp. brass adapter for lavatory and sink connections.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLS9-3 (CF)	9"	5.64	50 each	9 lb
RLS12-3 (CF)	12"	6.29	50 each	11 lb
RLS15-3 (CF)	15"	6.67	50 each	13 lb
RLS20-3 (CF)	20"	7.27	50 each	14 lb
RLS24-3 (CF)	24"	7.85	50 each	16 lb
RLS30-3 (CF)	30"	8.71	50 each	19 lb
RLS36-3 (CF)	36"	9.56	25 each	11 lb




BRUSHED CHROME / BRAIDED CONNECTORS

FLOWTITE® High Performance Flexible Connectors

TOILET SUPPLY CONNECTOR

FlowTite braided High Performance flexible connector x 3/8" comp. nut x 7/8" reinforced polymer ballcock nut for toilet connections.


Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RCS9-7 (F)	9"	4.12	50 each	9 lb
RCS12-7 (F)	12"	4.51	50 each	10 lb
RCS15-7 (F)	15"	4.89	50 each	12 lb
RCS20-7 (F)	20"	5.51	50 each	14 lb



DISHWASHER SUPPLY CONNECTOR

FlowTite braided High Performance flexible connector x 3/8" comp. nut x 3/8" comp. nut for dishwasher connections.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLS48-3 (E)	48"	8.19	25 each	12 lb
RLS60-3 (E)	60"	10.97	25 each	15 lb
RLS72-3 (E)	72"	12.50	25 each	17 lb
RLS84-3 (E)	84"	14.05	25 each	19 lb
RLS120-3 (E)	120"	18.58	25 each	25 lb



FlowTite braided High Performance flexible connector x 3/8" comp. nut x 3/8" comp. x 3/8" M.I.P. brass elbow for dishwasher connections.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLS48-3 (EL)	48"	13.18	25 each	14 lb
RLS60-3 (EL)	60"	14.82	25 each	16 lb
RLS72-3 (EL)	72"	16.49	25 each	18 lb
RLS84-3 (EL)	84"	18.15	25 each	20 lb
RLS120-3 (EL)	120"	23.15	25 each	23 lb




BRUSHED CHROME / BRAIDED CONNECTORS

FLOWTITE[®] High Performance Flexible Connectors

ICE MAKER AND FILTER SUPPLY CONNECTOR

FlowTite braided High Performance flexible connector x 1/4" comp. nut x 1/4" comp. nut for ice maker and filter connections.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
R2IS48-2 (F)	48"	13.50	25 each	8 lb
R2IS60-2 (F)	60"	15.70	25 each	9 lb
R2IS72-2 (F)	72"	17.50	25 each	10 lb
R2IS84-2 (F)	84"	20.00	25 each	11 lb



BRUSHED CHROME VALVES / BRAIDED CONNECTORS

FLOWTITE[®] 4ALL[®] One-Piece 1/2" Couplings with High Performance Flexible Connectors

****COUPLINGS WITH STOP VALVE**

FlowTite 4ALL 1/2" nom. supply stop with factory attached braided High Performance flexible connector x FlowTite 1/2" nom. push-fit coupling with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5S15PR (XF)	15"	17.94	50 each	11 lb
PO5S20PR (XF)	20"	20.18	50 each	13 lb
PO5S36PR (XF)	36"	28.07	25 each	13 lb

** Available with factory installed Shut Off Clip upon request for an additional cost of \$0.30/Each or \$0.60/Pair.



BRUSHED CHROME / BRAIDED CONNECTORS

FLOWTITE® 4ALL® One-Piece 1/2" Couplings with High Performance Flexible Connectors

COUPLINGS

FlowTite 4ALL 1/2" nom. push-fit coupling with factory attached braided High Performance flexible connector x FlowTite 1/2" nom. push-fit coupling.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PR50S15PR (XF)	15"	15.46	50 each	11 lb
PR50S20PR (XF)	20"	17.59	50 each	13 lb
PR50S36PR (XF)	36"	24.39	25 each	10 lb

FlowTite 4ALL 1/2" nom. push-fit coupling with factory attached braided High Performance flexible connector x 1/2" reinforced polymer IPS nut.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PR50LS15-5 (XPE)	15"	14.28	50 each	11 lb
PR50LS20-5 (XPE)	20"	16.49	50 each	13 lb
PR50LS36-5 (XPE)	36"	23.63	25 each	11 lb

ONE-PIECE PIPE REPAIR OR TEST KITS

FlowTite 4ALL 1/2" nom. push-fit coupling with factory attached braided High Performance flexible connector x 1/2" reinforced polymer IPS nut and threaded FlowTite 4ALL 1/2" nom. push-fit coupling. Removable and reusable - FOR TEMPORARY USE ONLY.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PR50S205TRK (XF)	20"	19.26	10 each	3 lb
PR50S305TRK (XF)	30"	21.80	10 each	4 lb




OIL RUBBED BRONZE VALVES

FLOWTITE[®] 4ALL[®] 1/2" Supply Stop Valves

VALVE ONLY

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
PO5B-3 (XF)	FlowTite 4ALL 1/2" nom. supply stop valve x 3/8" O.D. comp. with escutcheon	7.01	100 ea	12 lb
PO5B-3 (XC)	FlowTite 4ALL 1/2" nom. supply stop valve x 3/8" O.D. comp. cap and shut off clip with escutcheon	7.01	60 ea	7 lb
PO5B-3 (XFN)	FlowTite 4ALL 1/2" nom. supply stop valve x 3/8" O.D. comp. with escutcheon. (does not come with nut or ferrule)	5.82	10 ea	1.35 lb



OIL RUBBED BRONZE VALVES / BRAIDED CONNECTORS

FLOWTITE[®] 4ALL[®] 1/2" Supply Stop Valves with High Performance Flexible Connectors

****LAVATORY/SINK SUPPLY KIT - Sold in Pairs**

FlowTite 4ALL 1/2" nom. supply stop with factory attached braided High Performance flexible connector x 1/2" reinforced polymer IPS nut with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
* PO5LB6-5 (XP)	6"	27.67	10 pair	5 lb
* PO5LB9-5 (XP)	9"	28.47	10 pair	5 lb
* PO5LB12-5 (XP)	12"	29.27	10 pair	6 lb
* PO5LB15-5 (XP)	15"	29.57	10 pair	6 lb
* PO5LB20-5 (XP)	20"	31.09	10 pair	7 lb
* PO5LB30-5 (XP)	30"	36.03	10 pair	8 lb



* Upon request 1/2" Metal IPS Nut may be substituted for an additional cost of \$0.50/Pair.

** Available with factory installed Shut Off Clip upon request for an additional cost of \$0.30/Each or \$0.60/Pair.



OIL RUBBED BRONZE VALVES / BRAIDED CONNECTORS

FLOWTITE® 4ALL® 1/2" Supply Stop Valves with High Performance Flexible Connectors

****LAVATORY/SINK SUPPLY KIT - Sold in Pairs**

Lavatory and sink supply kits for "Copper/Chrome Drop Faucets" or faucets with factory attached connectors. FlowTite 4ALL 1/2" nom. supply stop with factory attached braided High Performance flexible connector x 3/8" comp. brass adapter with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5LB6-3 (XC) "the Shorty"	6"	36.34	10 pair	2 lb
PO5LB9-3 (XC)	9"	37.04	10 pair	2 lb
PO5LB12-3 (XC)	12"	39.01	10 pair	3 lb
PO5LB15-3 (XC)	15"	39.73	10 pair	3 lb
PO5LB20-3 (XC)	20"	40.95	10 pair	4 lb



****TOILET SUPPLY KIT**

FlowTite 4ALL 1/2" nom. supply stop with factory attached braided High Performance flexible connector x 7/8" reinforced polymer ballcock nut with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5CB9-7 (XF)	9"	13.87	10 each	12 lb
PO5CB12-7 (XF)	12"	14.50	10 each	13 lb
PO5CB15-7 (XF)	15"	15.25	10 each	15 lb
PO5CB20-7 (XF)	20"	15.61	10 each	16 lb



** Available with factory installed Shut Off Clip upon request for an additional cost of \$0.30/Each or \$0.60/Pair.

OUTLET BOXES

4ALL[®] BOX Washing Machine **NEW**

The 4ALL BOX for washing machine applications is the ONLY box preventing hidden in-wall leaks with valve-to-pipe connections fully sealed within the box and secondary O-rings to seal box to pipe. All models include two (2) USA made FlowTite 4ALL 3/4" outlet stop valves that carry a 10-year warranty, front & back support tabs for sturdy stud mount, a unique pipe supported design for center mount between studs and a versatile design for dual stud bay mount with separate drainage. All models also include a sturdy protective cover.

WASHING MACHINE BOX

Box Only

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
4ALL BOX (T)	Box only with faceplate	10.46	10 ea	9.59 lb



WASHING MACHINE BOX

Valves Only - Bottom Position

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
OWBPO5-75-1B (T)	Single drain outlet box, copper	31.85	10 ea	15.8 lb
VWBPO5-75-1B (T)	Single drain outlet box, CPVC	25.65	10 ea	14.5 lb
PWBPO5-75-1B (WT)	Single drain outlet box, PEX F1807 or F1960 connection	26.16	10 ea	13 lb
XWBPO5-75-1B (T)	Single drain outlet box, copper PEX F1807 connection	34.64	10 ea	13.75 lb



WASHING MACHINE BOX

Valves Only - Top Position

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
OWBPO5-75-1T (T)	Single drain outlet box, copper	31.85	10 ea	15.75 lb
VWBPO5-75-1T (T)	Single drain outlet box, CPVC	25.65	10 ea	14.75 lb
PWBPO5-75-1T (WT)	Single drain outlet box, PEX F1807 or F1960 connection	26.16	10 ea	13 lb
XWBPO5-75-1T (T)	Single drain outlet box, copper PEX F1807 connection	36.64	10 ea	13.75 lb



OUTLET BOXES

4ALL[®] BOX Washing Machine NEW

WASHING MACHINE BOX

Valves w/Polymer Arresters - Bottom Position

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
OWBPO5-75-1APB (T)	Single drain outlet box w/ polymer arresters, copper	55.40	10 ea	18 lb
VWBPO5-75-1APB (T)	Single drain outlet box w/ polymer arresters, CPVC	49.42	10 ea	17.5 lb
PWBPO5-75-1APB (WT)	Single drain outlet box w/ polymer arresters, PEX F1807 or F1960 connection	49.67	10 ea	17 lb
XWBPO5-75-1APB (T)	Single drain outlet box w/ polymer arresters, copper PEX F1807 connection	51.92	10 ea	17.75 lb



WASHING MACHINE BOX

Valves w/Polymer Arresters - Top Position

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
OWBPO5-75-1APT (T)	Single drain outlet box w/ polymer arresters, copper	55.40	10 ea	18 lb
VWBPO5-75-1APT (T)	Single drain outlet box w/ polymer arresters, CPVC	49.42	10 ea	17.5 lb
PWBPO5-75-1APT (WT)	Single drain outlet box w/ polymer arresters, PEX F1807 or F1960 connection	49.67	10 ea	17 lb
XWBPO5-75-1APT (T)	Single drain outlet box w/ polymer arresters, copper PEX F1807 connection	51.92	10 ea	17.75 lb



OUTLET BOXES

4ALL[®] BOX Washing Machine **NEW**

WASHING MACHINE BOX

Valves w/Stainless Steel Arresters - Bottom Position

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
OWBPO5-75-1AB (T)	Single drain outlet box w/ stainless steel arresters, copper	77.49	10 ea	20 lb
VWBPO5-75-1AB (T)	Single drain outlet box w/ stainless steel arresters, CPVC	71.13	10 ea	19 lb
PWBPO5-75-1AB (WT)	Single drain outlet box w/ stainless steel arresters, PEX F1807 or F1960 connection	71.38	10 ea	18 lb
XWBPO5-75-1AB (T)	Single drain outlet box w/ stainless steel arresters, copper PEX F1807 connection	75.56	10 ea	18.75 lb



WASHING MACHINE BOX

Valves w/Stainless Steel Arresters - Top Position

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
OWBPO5-75-1AT (T)	Single drain outlet box w/ stainless steel arresters, copper	77.49	10 ea	20 lb
VWBPO5-75-1AT (T)	Single drain outlet box w/ stainless steel arresters, CPVC	71.13	10 ea	19 lb
PWBPO5-75-1AT (WT)	Single drain outlet box w/ stainless steel arresters, PEX F1807 or F1960 connection	71.38	10 ea	18 lb
XWBPO5-75-1AT (T)	Single drain outlet box w/ stainless steel arresters, copper PEX F1807 connection	75.56	10 ea	18.75 lb



OUTLET BOXES

4ALL[®] BOX Ice Maker


NEW

The 4ALL BOX for ice maker applications is the ONLY box preventing hidden in-wall leaks with valve-to-pipe connections fully sealed within the box and secondary O-rings to seal box to pipe. All models include one (1) USA made FlowTite 4ALL 1/4" outlet stop valve that carries a 10-year warranty, front & back support tabs for sturdy stud mount, and a unique pipe supported design for center mount between studs. All models also include a sturdy protective cover. Install top or bottom with knock-out tabs.

ICE MAKER BOX

Valve Only

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
4OBPO5-2 (T)	Valve only w/copper	18.69	10 ea	18.5 lb
4VBPO5-2 (T)	Valve only w/CPVC	17.36	10 ea	17 lb
4PBPO5-2 (WT)	Valve only w/PEX, F1807 or F1960 connection	17.90	10 ea	12 lb
4XBPO5-2 (T)	Valve only w/copper PEX F1807 connection	20.90	10 ea	11.75 lb



ICE MAKER BOX

Valve w/84" PVC Connector

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
4OBPO5IP84-2 (T)	Valve w/84" High Performance flexible connector, copper	28.00	10 ea	16.75 lb
4VBPO5IP84-2 (T)	Valve w/84" High Performance flexible connector, CPVC	26.05	10 ea	16.25 lb
4PBPO5IP84-2 (WT)	Valve w/84" High Performance flexible connector, PEX F1807 or F1960 connection	27.50	10 ea	15.75 lb
4XBPO5IP84-2 (T)	Valve w/84" High Performance flexible connector, copper PEX F1807 connection	30.50	10 ea	15.25 lb



OUTLET BOXES

4ALL[®] BOX Ice Maker

NEW

ICE MAKER BOX

Valve Only w/Polymer Arrester

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
4OBPO5-2AP (T)	Valve only w/polymer arrester, copper	31.98	10 ea	15.75 lb
4VBPO5-2AP (T)	Valve only w/polymer arrester, CPVC	29.45	10 ea	15 lb
4PBPO5-2AP (WT)	Valve only w/polymer arrester, PEX F1807 or F1960 connection	29.70	10 ea	13.5 lb
4XBPO5-2AP (T)	Valve only w/polymer arrester, copper PEX F1807 connection	32.70	10 ea	13.75 lb



ICE MAKER BOX

Valve w/84" PVC Connector w/Polymer Arrester

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
4OBPO5IP84-2AP (T)	Valve w/84" High Performance flexible connector w/polymer arrester, copper	41.89	10 ea	19.5 lb
4VBPO5IP84-2AP (T)	Valve w/84" High Performance flexible connector w/polymer arrester, CPVC	37.63	10 ea	18 lb
4PBPO5IP84-2AP (WT)	Valve w/84" High Performance flexible connector w/polymer arrester, PEX F1807 or F1960 connection	38.50	10 ea	17 lb
4XBPO5IP84-2AP (T)	Valve w/84" High Performance flexible connector w/polymer arrester, copper PEX F1807 connection	41.50	10 ea	15.5 lb



OUTLET BOXES


4ALL[®] BOX Ice Maker

NEW

ICE MAKER BOX

Valve Only w/Stainless Steel Arrester

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
4OBPO5-2A (T)	Valve only w/stainless steel arrester, copper	51.80	10 ea	21.5 lb
4VBPO5-2A (T)	Valve only w/stainless steel arrester, CPVC	48.01	10 ea	20 lb
4PBPO5-2A (WT)	Valve only w/stainless steel arrester, PEX F1807 or F1960 connection	48.60	10 ea	18 lb
4XBPO5-2A (T)	Valve only w/stainless steel arrester, copper PEX F1807 connection	51.60	10 ea	14.25 lb



ICE MAKER BOX

Valve w/84" PVC Connector w/Stainless Steel Arrester

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
4OBPO5IP84-2A (T)	Valve w/84" High Performance flexible connector w/stainless steel arrester, copper	61.21	10 ea	21 lb
4VBPO5IP84-2A (T)	Valve w/84" High Performance flexible connector w/stainless steel arrester, CPVC	57.43	10 ea	20 lb
4PBPO5IP84-2A (WT)	Valve w/84" High Performance flexible connector w/stainless steel arrester, PEX F1807 or F1960 connection	58.01	10 ea	19 lb
4XBPO5IP84-2A (T)	Valve w/84" High Performance flexible connector w/stainless steel arrester, copper PEX F1807 connection	61.01	10 ea	16 lb



OUTLET BOXES

4ALL[®] BOX Ice Maker

NEW

ICE MAKER BOX

Valve w/6" PVC Connector w/Polymer Arrester

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
4OBPO5IP6-2APC (T)	Valve w/6" SHORTY High Performance flexible connector w/polymer arrester, copper	35.08	10 ea	16.25 lb
4VBPO5IP6-2APC (T)	Valve w/6" SHORTY High Performance flexible connector w/polymer arrester, CPVC	32.48	10 ea	15.75 lb
4PBPO5IP6-2APC (WT)	Valve w/6" SHORTY High Performance flexible connector w/polymer arrester, PEX F1807 or F1960 connection	32.57	10 ea	15.25 lb
4XBPO5IP6-2APC (T)	Valve w/6" SHORTY High Performance flexible connector w/polymer arrester, copper PEX F1807 connection	35.57	10 ea	14.25 lb



ICE MAKER BOX

Valve w/6" PVC Connector w/Stainless Steel Arrester

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
4OBPO5IP6-2AC (T)	Valve w/6" SHORTY High Performance flexible connector w/stainless steel arrester, copper	54.40	10 ea	16.5 lb
4VBPO5IP6-2AC (T)	Valve w/6" SHORTY High Performance flexible connector w/stainless steel arrester, CPVC	51.21	10 ea	16 lb
4PBPO5IP6-2AC (WT)	Valve w/6" SHORTY High Performance flexible connector w/stainless steel arrester, PEX F1807 or F1960 connection	52.08	10 ea	15.5 lb
4XBPO5IP6-2AC (T)	Valve w/6" SHORTY High Performance flexible connector w/stainless steel arrester, copper PEX F1807 connection	55.08	10 ea	14.75 lb



COPPER PIPE APPLICATION

FLOWTITE® 4ALL® Round Ice Maker Boxes

With Copper Pipe & High Performance Flexible Connectors

The FlowTite valves and connectors used in these assemblies are NSF 61/9 listed. ACCOR® only uses Copper, CPVC, and PEX pipe that meets the requirements of the applicable industry standards for each type of pipe.

ICE MAKER BOX

White Valve

Round high impact polystyrene box with pre-installed 1/2" nom. x 1/4" O.D. comp. FlowTite 4ALL stop valve with faceplate, protective cover and 8" copper pipe stub out.

Product Code	List Price (each)	Carton Quantity	Carton Weight
OBPO5-2 (F)	16.59	6 each	6 lb
OBPO5-2 (T)	16.59	12 each	12 lb



ICE MAKER BOX

White Valve w/84" White PVC Connector

Round high impact polystyrene box with pre-installed 1/2" nom. FlowTite 4ALL supply stop with factory attached PVC High Performance flexible connector x 1/4" comp. nut with faceplate, protective cover and 8" copper pipe stub out.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
OBPO5IP84-2 (F)	84"	24.91	6 each	9 lb
OBPO5IP84-2 (T)	84"	24.91	12 each	18 lb



ICE MAKER BOX

White Valve w/84" Braided Connector

Round high impact polystyrene box with pre-installed 1/2" nom. FlowTite 4ALL supply stop with factory attached braided High Performance flexible connector x 1/4" comp. nut with faceplate, protective cover and 8" copper pipe stub out.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
OBPO5IS84-2 (F)	84"	33.25	6 each	9 lb
OBPO5IS84-2 (T)	84"	33.25	12 each	18 lb



CPVC PIPE APPLICATIONS

FLOWTITE[®] 4ALL[®] Round Ice Maker Boxes

With CPVC Pipe & High Performance Flexible Connectors

The FlowTite valves and connectors used in these assemblies are NSF 61/9 listed. ACCOR only uses Copper, CPVC, and PEX pipe that meets the requirements of the applicable industry standards for each type of pipe. 1/4" comp. outlet with faceplate and 6" CPVC pipe.

ICE MAKER BOX

White Valve

Round high impact polystyrene box with pre-installed 1/2" nom. x 1/4" O.D. comp. FlowTite 4ALL stop valve with faceplate, protective cover and 6" CPVC pipe stub out.

Product Code	List Price (each)	Carton Quantity	Carton Weight
VBPO5-2 (F)	16.32	6 each	6 lb
VBPO5-2 (T)	16.32	12 each	12 lb



ICE MAKER BOX

White Valve w/84" White PVC Connector

Round high impact polystyrene box with pre-installed 1/2" nom. FlowTite 4ALL supply stop with factory attached PVC High Performance flexible connector x 1/4" comp. nut with faceplate, protective cover and 6" CPVC pipe stub out.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
VBPO5IP84-2 (F)	84"	26.05	6 each	9 lb
VBPO5IP84-2 (T)	84"	26.05	12 each	18 lb



ICE MAKER BOX

White Valve w/84" Braided Connector

Round high impact polystyrene box with pre-installed 1/2" nom. FlowTite 4ALL supply stop with factory attached braided High Performance flexible connector x 1/4" comp. nut with faceplate, protective cover and 6" CPVC pipe stub out.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
VBPO5IS84-2 (F)	84"	33.70	6 each	7 lb
VBPO5IS84-2 (T)	84"	33.70	12 each	14 lb



PEX PIPE APPLICATIONS

FLOWTITE® 4ALL® Round Ice Maker Boxes

With Pex Copper Adapter/Made To Order Pex Tubing & High Performance Flexible Connectors

The FlowTite valves and connectors used in these assemblies are NSF 61/9 listed. ACCOR only uses Copper, CPVC, and PEX pipe that meets the requirements of the applicable industry standards for each type of pipe.

ICE MAKER BOX

White Valve

Round high impact polystyrene box with pre-installed 1/2" nom. x 1/4" O.D. comp. FlowTite 4ALL stop valve with faceplate, protective cover and 2-1/2" copper adapter for PEX F1807 or F1960 connection.

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
XBPO5-2 (F)	F1807 PEX Ad. Fitting	18.38	6 each	6 lb
XBPO5-2 (T)	F1807 PEX Ad. Fitting	18.38	12 each	12 lb
PBPO5-2 (WT)	PEX F1807/F1960 Tubing	17.90	12 each	12 lb



ICE MAKER BOX

White Valve w/84" White PVC Connector

Round high impact polystyrene box with pre-installed 1/2" nom. FlowTite 4ALL supply stop with factory attached PVC High Performance flexible connector x 1/4" comp. nut w/faceplate, protective cover and 2-1/2" copper adapter for PEX F1807 or F1960 connection.

Product Code	Length	Description	List Price (each)	Carton Quantity	Carton Weight
XBPO5IP84-2 (F)	84"	F1807 PEX Ad. Fitting	26.81	6 each	9 lb
XBPO5IP84-2 (T)	84"	F1807 PEX Ad. Fitting	26.81	12 each	18 lb
PBPO5IP84-2 (WT)	84"	PEX F1807/F1960 tubing	27.50	12 each	18 lb



ICE MAKER BOX

White Valve w/84" Braided Connector

Round high impact polystyrene box with pre-installed 1/2" nom. FlowTite 4ALL supply stop with factory attached braided High Performance flexible connector x 1/4" comp. nut with faceplate, protective cover and 2-1/2" copper adapter for PEX F1807 or F1960 connection.

Product Code	Length	Description	List Price (each)	Carton Quantity	Carton Weight
XBPO5IS84-2 (T)	84"	PEX F1807 Adapter Fitting	34.20	12 each	14 lb
PBPO5IS84-2 (WT)	84"	PEX F1807/F1960 tubing	35.90	12 each	14 lb



FLOWTITE[®] 4ALL[®] Round Ice Maker Box Accessories

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
BOXONLY-I	FlowTite ice maker box only	7.21	6 each	6 lb
FACEPLATE-I	FlowTite ice maker box face plate	3.38	6 each	1 lb
BOXCOV	Clear protective cover for FlowTite ice maker box	1.64	6 each	1 lb



FLOWTITE[®] 4ALL[®] 1/2" Test Caps and Couplings

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
PO5CAP (XF)	FlowTite 4ALL 1/2" test cap for PEX/Copper/CPVC	1.59	100 each	5 lb



FLOWTITE[®] 4ALL[®] Escutcheons, Rings, Clips and Gauges

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
PO5E	White polymer escutcheon	.36	25 each	1 lb
PO5E-S	Brushed Chrome polymer escutcheon	.39	25 each	1 lb
PO5E-B	Oil Rubbed Bronze polymer escutcheon	.45	25 each	1 lb
PO5RING	1/2" pipe holder ring	.36	25 each	1 lb
RED CLIP	Shut off clips for HOT water valve	.20	100 each	1 lb
BLUE CLIP	Shut off clips for COLD water valve	.20	100 each	1 lb
PO5 AP	1/2" applicator gauge	1.34	50 each	4 lb



4ALL[®] BOX Accessories

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
4ALL FUNNEL	Condensation Funnel	4.16	10 ea	1 lb
4ALL FACEPLATE (T)	Faceplate Only	6.19	10 ea	2.25 lb




FlowTite® R-SERIES®

Compression Valve Replacment

ACCOR®'s FlowTite R-SERIES for replacing old compression valves on existing copper and CPVC pipes completely eliminates the problem of replacing stub-outs due to the bothersome leftover ferrule. It's the only stop valve on the market that installs right over the old brass ferrule. Installation requires only removing the compression valve and pushing the valve over the old ferrule — no need to labor over a new stub-out.

Compression Valve Replacement

FlowTite® R-SERIES - Installs Over Old Brass Ferrule



The ONLY stop valve that installs over the old brass ferrule

- ACCOR Technology's FlowTite R-SERIES Supply Stop is designed to replace old or leaking compression valves, allowing users to:
- Simplify! Just push the patented ACCOR R-SERIES over old brass ferrule.
- Eliminates the need to remove old ferrule which can cause pipe damage.
- No need to re-use the old valve nut left behind the ferrule.
- Eliminates expensive in-wall pipe stubout replacements.
- Best of all, rely on a 10-year limited warranty for residential construction that includes labor.



FLOWTITE[®] R-SERIES[®]

Simplified Compression Valve Replacement

For years professional plumbers have told us that the biggest problem they encounter in replacing compression supply stop valves is the removing of the old valves' nut and ferrule. Ferrule pullers are hard to use effectively and can damage the pipe. Cutting the old valve off to start fresh usually creates a costly in-the-wall pipe repair project that can easily eat away profits and involve other trades.

FlowTite for the Replacement Market

Years of success have proven that ACCOR[®]'s FlowTite R-SERIES valves install faster and more reliably than hard-to-use compression fittings. The FlowTite R-SERIES valve is designed to push onto pipe with or without an existing ferrule, so it is an excellent solution whether replacing, repairing or remodeling.

Innovative Product Design

ACCOR's patented PUSHON technology enables plumbers to push a FlowTite R-SERIES valve directly over the old brass ferrule. FlowTite's unique o-ring design completely seals off the existing ferrule, while the stainless gripper ring secures the valve to the pipe, forming the same long lasting seal that ACCOR has proven to be reliable with over 40 million valves installed in U.S. home installations since 1988.

Saves Time & Money

The FlowTite R-SERIES product is reliable and quick to install. A plumber could easily replace all of the old compression supply stops in a home as a value added service while increasing per call profits in return. The written ACCOR Technology warranty is a welcomed homeowner protection.



WHITE VALVES

FLOWTITE® R-SERIES® 1/2" Supply Stop Valves

VALVE ONLY

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
PO5-3 (R)	FlowTite R-SERIES 1/2" nom. supply stop valve x 3/8" O.D. comp. with escutcheon.	7.85	100 ea	13 lb
PO5-2 (R)	FlowTite R-SERIES 1/2" nom. supply stop valve x 1/4" O.D. comp. with escutcheon.	8.15	60 ea	7 lb



WHITE VALVES / PVC CONNECTORS

FLOWTITE® R-SERIES® 1/2" Supply Stop Valves with High Performance Flexible Connectors

LAVATORY/SINK SUPPLY KIT - Sold in Pairs

FlowTite R-SERIES 1/2" nom. supply stop with factory attached PVC High Performance flexible connector x 1/2" reinforced polymer IPS nut with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5LP15-5 (R)	15"	20.95	50 pair	25 lb
PO5LP20-5 (R)	20"	22.06	50 pair	29 lb
PO5LP30-5 (R)	30"	24.66	25 pair	19 lb



FlowTite R-SERIES 1/2" nom. supply stop with factory attached PVC High Performance flexible connector x 3/8" comp. brass adapter with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5LP12-3 (CR)	12"	28.09	50 pair	25 lb
PO5LP15-3 (CR)	15"	29.26	50 pair	29 lb
PO5LP20-3 (CR)	20"	30.31	50 pair	33 lb



WHITE VALVES / PVC CONNECTORS

FLOWTITE® R-SERIES® 1/2" Supply Stop Valves with High Performance Flexible Connectors

TOILET SUPPLY KIT

FlowTite R-SERIES 1/2" nom. supply stop with factory attached PVC High Performance flexible connector x 7/8" reinforced polymer ballcock nut with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5CP9-7 (R)	9"	10.88	50 each	12 lb
PO5CP12-7 (R)	12"	11.09	50 each	13 lb
PO5CP15-7 (R)	15"	11.80	50 each	14 lb
PO5CP20-7 (R)	20"	12.31	50 each	15 lb

DISHWASHER SUPPLY KIT

FlowTite R-SERIES 1/2" nom. supply stop with factory attached PVC High Performance flexible connector x 3/8" comp. x 3/8" M.I.P. brass elbow with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5LP60-3 (RL)	60"	23.91	25 each	17 lb
PO5LP72-3 (RL)	72"	25.45	25 each	19 lb

DISHWASHER/FAUCET DUAL APPLICATION SUPPLY KIT

FlowTite R-SERIES 1/2" nom. supply stop with factory attached PVC High Performance flexible connector with inline 3/8" comp. tee x 1/2" reinforced polymer IPS nut with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5LP4T15-5 (R)	20"	43.75	25 each	21 lb

ICE MAKER SUPPLY KIT

FlowTite R-SERIES 1/2" nom. supply stop with factory attached PVC High Performance flexible connector x 1/4" comp. nut with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5IP84-2 (R)	84"	19.31	25 each	13 lb




BRUSHED CHROME VALVES

FLOWTITE® R-SERIES® 1/2" Supply Stop Valves

VALVE ONLY

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
PO5S-3 (R)	FlowTite R-SERIES 1/2" nom. supply stop valve x 3/8" O.D. comp. with escutcheon.	7.97	100 ea	13 lb



BRUSHED CHROME VALVES / BRAIDED CONNECTORS

FLOWTITE® R-SERIES® 1/2" Supply Stop Valves with High Performance Flexible Connectors

LAVATORY/SINK SUPPLY KIT - Sold in Pairs

IPS Nut

FlowTite R-SERIES 1/2" nom. supply stop with factory attached braided High Performance flexible connector x 1/2" reinforced polymer IPS nut with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5LS15-5 (R)	15"	23.76	50 pair	31 lb
PO5LS20-5 (R)	20"	26.16	50 pair	34 lb
PO5LS30-5 (R)	30"	29.44	25 pair	29 lb



Brass Adapter

FlowTite R-SERIES 1/2" nom. supply stop with factory attached braided High Performance flexible connector x 3/8" comp. brass adapter with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5LS12-3 (CR)	12"	30.44	50 pair	28 lb
PO5LS15-3 (CR)	15"	31.22	50 pair	31 lb
PO5LS20-3 (CR)	20"	32.32	50 pair	34 lb



BRUSHED CHROME VALVES / BRAIDED CONNECTORS

FLOWTITE® R-SERIES® 1/2" Supply Stop Valves with High Performance Flexible Connectors

TOILET SUPPLY KIT

FlowTite R-SERIES 1/2" nom. supply stop with factory attached braided High Performance flexible connector x 7/8" reinforced polymer ballcock nut with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5CS9-7 (R)	9"	10.99	50 each	13 lb
PO5CS12-7 (R)	12"	12.64	50 each	14 lb
PO5CS15-7 (R)	15"	13.75	50 each	16 lb
PO5CS20-7 (R)	20"	14.50	50 each	18 lb

DISHWASHER SUPPLY KIT

FlowTite R-SERIES 1/2" nom. supply stop with factory attached braided High Performance flexible connector x 3/8" comp. x 3/8" M.I.P. brass elbow with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5LS60-3 (RL)	60"	28.56	25 each	17 lb
PO5LS72-3 (RL)	72"	30.75	25 each	19 lb

DISHWASHER/FAUCET DUAL APPLICATION SUPPLY KIT

FlowTite R-SERIES 1/2" nom. supply stop with factory attached braided High Performance flexible connector with inline 3/8" comp. tee x 1/2" reinforced polymer IPS nut with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5LS4T15-5 (R)	20"	42.21	25 each	21 lb

ICE MAKER SUPPLY KIT

FlowTite R-SERIES 1/2" nom. supply stop with factory attached braided High Performance flexible connector x 1/4" comp. nut with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5IS84-2 (R)	84"	27.05	25 each	13 lb



OIL RUBBED BRONZE VALVES

FLOWTITE® R-SERIES® 1/2" Supply Stop Valves

VALVE ONLY

Product Code	Description	List Price (each)	Carton Quantity	Ctn Wt.
PO5B-3 (R)	FlowTite R-SERIES 1/2" nom. supply stop valve x 3/8" O.D. comp. w/ escutcheon.	9.30	10 ea	1lb



OIL RUBBED BRONZE VALVES / BRAIDED CONNECTORS

FLOWTITE® R-SERIES® 1/2" Supply Stop Valves with High Performance Flexible Connectors

LAVATORY/SINK SUPPLY KIT - Sold in Pairs

FlowTite R-SERIES 1/2" nom. supply stop with factory attached braided High Performance flexible connector x 1/2" reinforced polymer IPS nut with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5LB9-5 (R)	9"	32.31	10 pair	5 lb
PO5LB15-5 (R)	15"	34.07	10 pair	6 lb
PO5LB20-5 (R)	20"	35.70	10 pair	7 lb
PO5LB30-5 (R)	30"	37.21	10 pair	12 lb



TOILET SUPPLY KIT

FlowTite R-SERIES 1/2" nom. supply stop with factory attached braided High Performance flexible connector x 7/8" reinforced polymer ballcock nut with escutcheon.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
PO5CB12-7 (R)	12"	18.70	10 each	3 lb
PO5CB15-7 (R)	15"	19.10	10 each	3 lb

FLOWTITE® R-SERIES® ESCUTCHEONS, RINGS, CLIPS AND GAUGES

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
PO5 E (R)	White polymer escutcheon	.52	25 ea	1 lb
PO5 E-S (R)	Brushed Chrome polymer escutcheon	.57	25 ea	1 lb
PO5 E-B (R)	Oil Rubbed Bronze polymer escutcheon	.57	25 ea	1 lb
PO5RING	1/2" pipe holder ring	.36	25 ea	1 lb
RED CLIP	Shut off clips for HOT water valve	.20	100 ea	1 lb
BLUE CLIP	Shut off clips for COLD water valve	.20	100 ea	1 lb
PO5 AP	1/2" applicator gauge	1.34	50 ea	4 lb



CODES, LISTINGS & STANDARDS

LISTINGS & CERTIFICATIONS:

Product	Listings	Manufactured In Accordance With
Supply Stop Valves	NSF/ANSI 61 IAPMO File 2657 (cUPC/IPC, NPC) IAPMO File 6518 other city, county and state approvals	NSF/ANSI 61 Section 9 ASME A112.18.1/CSA B125.1 Section 1417(d) SDWA – NSF/ANSI 372 Low Lead
Coupling Connectors	NSF/ANSI 61 IAPMO File 2657 (cUPC/IPC, NPC) IAPMO File 6518	NSF/ANSI 61 Section 9 ASME A112.18.1/CSA B125.1 Section 1417(d) SDWA – NSF/ANSI 372 Low Lead
Flexible Water Connectors	NSF/ANSI 61 IAPMO File 3969 (UPC/IPC) IAPMO File 6518	NSF/ANSI 61 Section 9 ASME A112.18.6/CSA B125.6 Section 1 417(d) SDWA – NSF/ANSI 372 Low Lead
Outlet Boxes (Laundry & Misc.)	IAPMO File 3893 (UPC/IPC)	PS 54-2015
Test Caps, Repair Kits	NSF/ANSI 61	NSF/ANSI 61 Section 9
Water Hammer Arresters	IAPMO File 5838 (cUPC/IPC, NPC) IAPMO File 6518	ASSE 1010 Section 1417(d) SDWA – NSF/ANSI 372 Low Lead

CODE KEY:

ASME	American Society of Mechanical Engineer
ASSE	American Society of Sanitary Engineering
ASTM	American Society for Testing & Materials
CSA	Canadian Standards Association
IAPMO	International Association of Plumbing & Mechanical Officials
IPC	International Plumbing Code
NPC	National Plumbing Code of Canada
NSF/ANSI	National Sanitation Foundation/American National Standards Institute
SDWA	Safe Drinking Water Act
UPC	Uniform Plumbing Code

CAUTION:

Flux contains corrosive chemicals that can damage plastic & metal components. DO NOT ALLOW FLUX TO COME IN CONTACT WITH FlowTite PRODUCTS. Do not use bleach, cleaners containing acid, or any other corrosive chemicals on FlowTite products. ACCOR Technology, Inc. does warrant any failure due to faulty installation or abuse, stress condition, excessive water hammer, over torque, damaged or defective pipe, exposure to below freezing conditions, excessive heat and/or corrosive chemicals and/or other destructive materials.





INFORMATION

FREIGHT

FREIGHT TERMS: All shipments are F. O. B. shipping point. Shipments from factory less than \$2,000 U.S. are F. O. B. factory. Factory shipments of \$2,000 and over within the continental U.S. will be prepaid and allowed when made at the lowest motor carrier transportation rate. "F. O. B. shipping point" or "F. O. B. origin" indicates the buyer takes responsibility for the goods when the goods leave the seller's premises.

TERMS OF SALE

All sales are F. O. B. shipping point.

PAYMENT TERMS

Invoices are due and payable 30 days from the date of invoice. A 2% cash discount is allowed on net amount of invoice if paid on or before the 10th of the following month. Invoices dated on or after the 25th of the current month will be considered as dated the first of the next month. Postmark on envelope will be considered date of check. Discounts not available on freight or surcharges.

GENERAL

All discounts are for orders shipped to one destination.

PRICES

All prices subject to change without notice. Orders will be invoiced at prices at time of shipment. A 5% surcharge will be added to orders of less than carton quantity.*

RETURNS

Any return of any products must be approved by ACCOR Technology, Inc. and issued Return Goods Authorization number (RGA). Absolutely no returns will be accepted or replaced without an RGA#. Products which are obsolete or made to order CANNOT be returned. ACCOR reserves the right to deny any RGA request of non-defective product. Approved requests will include a service charge of 25% of the net purchased price of the goods plus all transportation expenses. Loss and/or damage claims must be reported within 5 days of receipt of order. Material returned with our consent will be replaced less the value of the freight and 25% handling charge.

WARRANTY

ACCOR[®] TECHNOLOGY, INC.

FlowTite[®]

10-YEAR LIMITED WARRANTY

ACCOR[®] Technology, Inc. warrants to the original consumer purchaser that FlowTite[®] supply stop valves shall be free from defects in material and workmanship for a period of 10 years in residential use or 1 year in commercial use from the date of purchase as shown on purchaser's receipt.

In the event that this product fails to function during the warranty period due to proven defects in material or workmanship, ACCOR will pay to the consumer the prorated reasonable cost including labor, of removing the defective valve and replacing it with a new FlowTite valve.

This will be the only remedy available to the consumer for defective FlowTite[®] valves. In no event will ACCOR be liable for damages caused by installation, re-installation, repair or replacement, incidental and consequential damages or damages to property, its contents or its occupants. This warranty is void when valves are used on pipe that does not meet the specifications or otherwise conform to ASTM standards for copper, CPVC or PEX pipe.

Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages in which case, the above limitations may not apply. In the event of a dispute as to whether a product defect exists, ACCOR shall have the right to have the valve inspected by a third-party inspector at ACCOR's expense. In such case, the consumer shall produce the valve within 20 days of written request from ACCOR. Failure to do so shall void any warranty.

ACCOR assumes no responsibility for any failure of the valve due to faulty installation, abuse, unreasonable stress condition, excessive water hammer, over torque, damaged, defective or out of spec pipe, or exposure to freezing conditions, excessive heat and/or corrosive chemicals and/or other destructive materials.

The Warranty specified above is an exclusive warranty of ACCOR Technology, Inc. pertaining to FlowTite[®] supply stop valves and is in lieu of all other warranties including the implied warranties of merchantability of fitness for a particular purpose.

The warranty gives you specific legal rights and you may also have other rights which vary from state to state.

ACCOR Technology, Inc. 3310 SE 5th Street, East Wenatchee, WA 98802 1-800-447-5848



Headquarters

ACCOR® Technology, Inc.
608 State Street South, Suite 100
Kirkland, WA 98033
(800) 447-5848 Toll Free
(425) 284-3320 Local
(425) 284-3321 FAX

Customer Service / Manufacturing

ACCOR® Technology, Inc.
3310 5th Street SE
East Wenatchee, WA 98802
(800) 447-5848 Toll Free
(509) 888-2233 Local
(509) 888-0554 FAX



Connecting over 40 million
Fixtures & Appliances to
Piping Systems since 1988.